

Speed, precision and ease of use.

NEW
S811 BIKE



YouTube
Watch the video



S811 Bike

www.giuliano-automotive.com

DIGITAL ELECTRONIC WHEEL BALANCER WITH LED DISPLAY FOR MOTORCYCLE AND CAR WHEELS

✓ USB port for firmware updating via PC/notebook



Advanced software for further upgrades*



✓ Complete with **HAWEKA** ProBike Eco Kit clamping adaptor for motorcycle wheels.

✓ Intuitive, Easy-to-use Control Panel


FUNCTIONS

- Automatic static program selection (through motorcycle wheel automatic recognition).
- Static and dynamic balancing of car wheels and motorcycle wheels with single arm suspension
- Self-diagnosis and self-calibration
- OptiWeight (OW) system reduces the number of counterweights needed, by minimising static imbalance.



✓ Static balancing of motorcycle wheels with Probike Eco Kit.

SPECIAL ALU-S PROGRAMS



Programs for selecting the best correction planes for any kind and shape of alloy rim.


💡 A very practical **Wheel Lifter** reduces effort and increases productivity (optional).

✓ Complete with cones and quick clamping ring nut for passengers car wheels.

✓ Pedal brake

✓ Wheel guard available as optional.

HIDDEN WEIGHT



• Fast & Easy Split (FES) function, is really the fastest method on the market to split balancing weights behind the spokes of your aluminum wheel.

OPPOSIT POSITION



• Opposite Weight function (OPF), enables to place the balancing stick-on weight on the lower inside part of the aluminum wheel (at 6:00).

📄 *The performance of the machine over time can improve, thanks to targeted updates.

EXTENSIVE SELECTION OF STANDARD ACCESSORIES

OPTIONAL ACCESSORIES



- Wheel clamping adaptors
- Clamping cones with spacers
- Wheel lifter and much more

Find out more on our website !

STANDARD FEATURES

Max. wheel weight	75 kg
Max. wheel diameter	1100 mm
Rim diameter	10"-30" / 255-765 mm
Rim width	1,5"-20" / 40-510 mm
Power supply	230V 1ph (50/60) Hz
Unbalance detection time	4,7 sec. (5 3/4"x14") 15 kg.
Balancing speed	< 150 rpm
Balancing precision	± 1 g
Net weight	87 kg
Max. overall dimensions	1050x570x950 mm

Available in: ● Blue Trim ● BlackTrim ● Red Trim

STANDARD ACCESSORIES

